

If so, the rates of serious substance use disorders as cited by the WHO survey would be significant underestimates.

John R. Hughes, MD  
john.hughes@uvm.edu  
Department of Psychiatry  
University of Vermont  
Burlington

**Financial Disclosures:** Dr Hughes provided consultancy services for Bioscience, Healthwise, Genetics, GlaxoSmithKline, Nabi, Novartis, Pacific, Pfizer, Sanofi, University of Minnesota, University of Wisconsin, University of Southern Maine, US Food and Drug Administration, National Institutes of Health (NIH), Maine Center for Tobacco Independence, Pinney Associates; received honoraria from GlaxoSmithKline, Pfizer, Pain Management, SG Cowan, Harvard University, Latrobe University, Mayo Clinic, Stanford Residential Institute, University of Calgary, University of Connecticut, University of Medicine and Dentistry of New Jersey, University of Mississippi, University of Southern Maine, University of Wisconsin, American Academy of Addiction Psychiatry, American Council for Smoking and Health, Maine Center for Tobacco Independence, Maine Medical Center, Vermont Area Health Councils; received a research grant or contract from Sanofi, Pfizer, and NIH; received product or database resources for research from RJ Reynolds, GlaxoSmithKline, Pfizer, Sanofi, NIH, and the Vermont Health Department.

1. The WHO World Mental Health Survey Consortium. Prevalence, severity, and unmet need for treatment of mental disorders in the World Health Organization world mental health surveys. *JAMA*. 2004;291:2581-2590.
2. Kandel D, Chen K, Warner LA, Kessler RC, Grant B. Prevalence and demographic correlates of symptoms of last year dependence on alcohol, nicotine, marijuana and cocaine in the US population. *Drug Alcohol Depend*. 1997;44:11-29.
3. Kandel DB, Chen K. Extent of smoking and nicotine dependence in the United States: 1991-1993. *Nicotine Tob Res*. 2000;2:263-274.
4. World Health Organization. Tobacco control country profiles. Available at: [http://www.who.org/tobacco/global\\_data/country\\_profiles/en/](http://www.who.org/tobacco/global_data/country_profiles/en/). Accessed August 3, 2004.

**In Reply:** We agree with Dr Hughes that tobacco use is a serious public health problem throughout the world. Indeed, the WHO Tobacco Free Initiative is designed precisely to address this problem. However, most of the countries in the WHO World Mental Health (WMH) Survey Initiative have independent epidemiological data reporting tobacco use and dependence. Consequently, these countries did not include the WMH tobacco module in their surveys, leading us to exclude tobacco use and dependence from our article. However, we will present data on

the prevalence and correlates of tobacco use and dependence in the countries with the WMH tobacco module in future reports.

Ronald C. Kessler, PhD  
kessler@hcp.med.harvard.edu  
Department of Health Care Policy  
Harvard Medical School  
Boston, Mass

T. Bedirhan Üstün, MD  
World Health Organization  
Geneva, Switzerland

## CORRECTIONS

**Incorrect References and Wording:** In the Special Communication entitled "Use of Race and Ethnicity in Biomedical Publication" published in the May 28, 2003, issue of *JAMA* (2003;289:2709-2716), there were references cited incorrectly in the text and incorrect wording. On page 2709, in the footnote Ms Kaplan should be listed as a freelance editor instead of a freelance writer. On page 2710, in columns 1 and 2, reference 78 should be cited instead of 77 for information attributed to Boehmer et al. In the third column on that page, in the top paragraph the word "the" should be deleted before "US Census data." On page 2711, the first paragraph of the section "Third Challenge" should read thus: "Writing about race/ethnicity without stigmatizing and without implying a we/they dichotomy between health professionals and populations of color is challenging." On page 2712, at the bottom of the first column, the italicized paragraph should end with references 22, 105, and 113. On page 2713, in the first column the citation to Krieger and Fee should be linked to reference 120 by Krieger et al. Also in that column, in the second paragraph the last sentence should read: "Ungrounded, and often unconscious, assumptions that all poor people are people of color . . ." And in the middle column on that same page, the middle sentence should read: "For example, as Bhopal and others point out,<sup>124,125</sup> 'Asian' is an overly broad and ambiguous term, often used in the United Kingdom to refer to individuals from the Indian subcontinent, and in the United States to refer to individuals with origins in East or Southeast Asia."<sup>124</sup>

**Error in Table:** In the Review article entitled "Comprehensive Discharge Planning With Postdischarge Support for Older Patients With Congestive Heart Failure: A Meta-analysis" published in the March 17, 2004, issue of *JAMA* (2004;291:1358-1367), an error occurred in Table 5. The data for the last row ("Pooled change in QOL scores compared with baseline, unweighted % [95% CI]) should be shifted to the left 1 column to align properly. The *P* value for the last row of data (*P* = .01) is found in the last footnote to the table.